## **TECHNICAL PARAMETERS OF WATER HEATERS** Parameters for the water heater and storage tank CTC FerroModul T-295 L Model(s): Conventional water heater: No Heat pump water heater: No Solar water heater: No Back-up immersion heater: No Yes Storage tank: General data Declared load profile NA C Energy efficiency class **Energy efficiency** NA % $\eta_{WH}$ NA Annual electricity consumption **AEC** kWh Factory thermostat setting NA °C dB Sound power level indoors NA $L_{WA}$ NA $Q_{elec}$ Daily electricity consumption kWh Fossil and/or biomass fuel heated water heater $\mathbf{Q}_{\text{fuel}}$ Daily electricity consumption NA kWh NA Emissions of nitrogen oxides (dioxide) $NO_{x}$ mg/kWh Solar heated water heater Collector aperture area $m^2$ $A_{sol}$ Na Zero-loss efficiency $\eta_{0}$ Na $W/(m^2 K)$ First-order coefficient Na $a_1$ Second-order coefficient Na $W/(m^2 K)$ $a_2$ Na Incidence angle modifier IAM Pump power consumption (solpump) Na W Standby power consumption (solstandby) Na W Heat pump heated water heater NA Sound power level outdoors dB $L_{WA}$ Technical paremeter at declared load profile Storage water heater (3XS, XXS, XS) Volym Mixed vol 40° NA Storage water heater (S, M, XL, XXL, 3XL, 4XL) L DHW Smart controller Weekly fuel consumption with smart kWh NA Q fuel, week, smart Weekly electricity consumption with smart Q elec, week, smart NA kWh NA kWh Weekly fuel consumption without smart Q fuel week NA Weekly electricity consumption without smart Q elec, week kWh Standing loss

Specific precautions and end of life information:

Standing loss

Storage volume

The packaging must be deposited at a recycling station or with the installation engineer for correct waste management. At the end of the product's life cycle, it must be sent correctly to a waste station or reseller offering a service of that type. Disposing of the product as household

83,7 W

295

waste is not permitted.

**Detailed Contact data:** Enertech AB, Box 309, 341 26 Ljungby www.ctc.se

S V, C<sub>act</sub>